

APPENDIX 1**TABLE A1**

Characteristics of sampling nesting sites of larid species in three cays of central-north of Cuba during the 2021 breeding season using camera traps.

Monitored species	Cay	Duration of the monitoring (days)	Number of monitored nests	Number of recorded photos	Number of usable photos
Laughing Gull	Felipe de Barlovento	27	4	9,937	9,240 (93.0%)
	Felipe de Sotavento	8	2	1,276	944 (74.0%)
	Paredón de Lado	8	2	1,032	990 (95.9%)
Total		29 (without duplicates)	8	12,245	11,174 (91.3%)
Brown Noddy	Felipe de Sotavento	72	1	994	847 (85.2%)
Total		72	1	994	847 (85.2%)
Bridled Tern	Felipe de Sotavento	47	6	4,026	3,090 (76.8 %)
	Paredón de Lado	6	1	6,441	4,632 (71.9%)
Total		47 (without duplicates)	7	10,467	7,722 (73.8%)
Royal Tern	Felipe de Barlovento	18	ca.10	2,690	2,449 (91.0%)
	Paredón de Lado	27	13	4,118	3,924 (95.3%)
Total		36 (without duplicates)	ca.23	6,808	6,373 (93.6%)
Sandwich Tern	Felipe de Barlovento	23	ca.18	9,169	8,833 (96.3%)
Total		23	ca.18	9,169	8,833 (96.3%)