THE BLUE PETREL HALOBAENA CAERULEA IN SOUTH AFRICA

B. EVERY, L.W. HOSTEN & R.K. BROOKE

Received 17 November 1980, accepted 17 April 1981

White (1965) gives the African distribution of the Subantarctic breeding Blue Petrel Halobaena caerulea as "off Cape Province, scarce in territorial waters". Clancey (1980) says "irregular visitor to coasts of the western, southern and eastern Cape". Several birds have been recovered during African Seabird Group beach patrols. We have assembled all records to see whether they produce geographical and seasonal patterns and whether the statements in the standard works survive critical testing in the light of more recent data.

We have found 12 specimen records (Table 1) and eight acceptable sight records (Table 2) (20 in all) from South Africa and its adjacent waters. It is now apparent that the Blue Petrel is a rare but regular visitor to the coasts of the Cape Province in both the Atlantic and Indian Oceans and Natal but does not occur further north. It usually occurs in South African waters between June and October with a peak in September (Table 3). All sight records in Table 2 are of single birds and it does not appear that flocks occur in South African waters.

It is only at close quarters that the white tipped tail of the Blue Petrel can be seen, the principal character which distinguishes it from prions Pachyptila spp. We regard with great suspicion statements that the Blue Petrel may be commonly found, e.g. Layard (1867), Swinburne (1886), Godfrey (1931), and believe that the birds they referred to were at least predominantly prions.

ACKNOWLEDGEMENTS

We are obliged to Mr G. Avery of the South African Museum, Cape Town, for data on osteological specimens in that collection contributed by the African Seabird Group.

REFERENCES

- BODDAM-WHETHAM, D. 1978. Oceanic sea-birds. Diaz Diary 62: 8-10.
- CLANCEY, P.A. (Ed.) 1980. S.A.O.S. checklist of southern African birds. Johannesburg: Southern African Ornithological Society.
- COURTENAY-LATIMER, M. & GIBSON-HILL, C.A. 1946. A preliminary note on the Bird Island group in Algoa Bay. Ostrich 17: 75-86.
- EVERY, B. 1978. Rare Blue Petrel found on beachwalk. Beeeater 29: 23.
- GIBSON-HILL, C.A. 1946. Some observations on a coastal trip

TABLE 1
SPECIMEN RECORDS OF THE BLUE PETREL HALOBAENA CAERULEA
FROM SOUTH AFRICA

Place	Da	ate	Source				
Elands Bay 32 12S, 18 18E	12 00	et 1979	South African Museum				
Baboon Point 32 13S, 18 18E	11 At	ıg 1979	South African Museum				
Strandfontein 34 O5S, 18 33E	9 V	et 1978	South African Museum				
Strandfontein	6 Se	p 1980	South African Museum				
Nature's Valley 33 59S, 23 34E	10 J u	11 1973	Robinson (1976)				
Maitlands River estuary 33 59S, 25 17E	16 Ju	11 ,1978	Every (1978)				
Cape Recife 34 O2S, 25 45E	4 Se	p 1978	Hosten (1978)				
near Port Elizabeth (two skeletons)	18	39 4	Marshall (1895)				
near East London	18	370s	Layard & Sharpe (1884)				
between Mbonambi and Dawson's Rock 28 40S, 32 15E	9 Se	p 1980	Mendelsohn (1980)				
Lake Sibayi 27 20S, 32 45E	13 Se	p 1980	Mendelsohn (1980)				

TABLE 2
SIGHT RECORDS OF THE BLUE PETREL HALOBAENA CAERULEA IN SOUTH AFRICAN WATERS

Place	Date	Source				
northwest of Cape Town 31S, 16E	5 Sep 1969	Voous (1970)				
off Malgas Island 33 O3S, 17 56E	22 Aug 1977	J.C. Sinclair (in litt.)				
southwest of Cape Town 35 05S, 15 25E	19 Dec 1945	Gibson-Hill (1946)				
Bird Island, Algoa Bay (stranded) 33 51S, 26 17E	Nov 1936	Courtenay Latimer & Gibson-Hill (1946)				
off Kenton-on-Sea 33 45S, 26 40E	11 Jul 1978	Boddam-Whetham (1978)				
off Kenton-on-Sea	9 Jun 1979	Samuels (1979)				
off Kenton-on-Sea	27 Jun 1979	Samuels (1979)				
off Port Alfred 33 40S, 26 55E	12 Aug 1954	Jones (1965)				

TABLE 3

SEASONAL OCCURRENCE OF THE BLUE PETREL HALOBAENA CAERULEA IN SOUTH AFRICA

Month	Jan	Feb	Mar	Apr	May	Jun	Ju1	Aug	Sep	Oct	Nov	Dec
No. of records		O	0	0	o	2	3	3	5	2	1	1

- from Durban to Cape Town. Ostrich 17: 232-239.
- GODFREY, R. 1931. My first visit to Natal. Blythswood Rev. 8: 117-118.
- HOSTEN, L. 1978. Beachwalks at Cape Recife. Bee-eater 29: 28-29.
- JONES, E.M. 1965. The birds of Salt Vlei, Bathurst Division, C.P. S. Afr. Avif. Ser. 28: 1-34.
- LAYARD, E.L. 1867. The birds of South Africa. Cape Town: Juta.
- LAYARD, E.L. & SHARPE, R.B. 1884. The birds of South Africa. London: Quaritch.
- MARSHALL, A. 1895. Curator's report in Reports upon the Port Elizabeth Museum, for the year 1894. Cape Colonial Govt. Pap. G.12-'95 (p.2).
- MENDELSOHN, J. 1980. Seabird wrecks. Albatross 261: 6.
- ROBINSON, G.A. 1976. Two new bird records for the Tsitsikama National Parks. *Koedoe* 19: 175-176.
- SAMUELS, R. 1979. More observations by Ronnie Samuels on seabirds. Diaz Diary 73: 6-7.
- SWINBURNE, S. 1886. Notes on birds observed on various voyages between England and the Cape of Good Hope. *Proc. Roy. Phys. Soc. Edinburgh* 9: 193-201.
- VOOUS, K.H. 1970. Blue Petrels (Halobaena caerulea) in Cape seas. Ardea 58: 266-267.
- WHITE, C.M.N. 1965. A revised check list of African nonpasserine birds. Lusaka: Government Printer.
- B. Every, Box 1305, Port Elizabeth 6000, South Africa.
- L.W. Hosten, 192 Church Road, Walmer, Port Elizabeth 6065, South Africa.
- R.K. Brooke, Percy FitzPatrick Institute of African Ornithology, University of Cape Town, Rondebosch 7700, South Africa.